
CONTENTS

Invited lectures

- IL-01** *J. G. Drobny** Automotive applications of thermoplastic elastomers
IL-02 *W. Yang, S. Li, W. (Voytek) S. Gutowski** Multi-functional nano-materials for advanced automotive applications
IL-03 *G. Heinrich*, H. Huinink, M. Kaliske* Materials science and engineering in tyre development for optimising tyre performance
IL-04 *R. P. Hjelm*, J. T. Mang, E. B. Orlor, D. A. Wroblewski* What swelling of complex elastomers tells us about composition, structure and reinforcement
IL-05 *Y. Ikeda** Science for sustainability of natural rubber
IL-06 *V. Pampulim** Cryogenic tyre recycling, and engineering applications for the recycled rubber
IL-07 *H.-J. Radusch, P. Doshev, G. Lohse* Monomodal and bimodal polypropylene (pp)/ethylene-propylene copolymer (epc) reactor blends for high impact strength applications
IL-08 *M. M. Sain*, M. Pervaiz* Biocrude to bioplastics; a global perspective on emerging bioproducts
IL-09 *M. Soliman*, F. Essers* Scratch resistance of automotive compounds
IL-10 *A. Marcinčin*, M. Hricová, K. Marcinčin, A. Hoferiková, J. Legéň* Polypropylene/organoclay composite fibres, effect of orientation on structure and mechanical properties
IL-11 *K. Brandt, X. Yang, R. H. Schuster* Interfacial effects in anisotropic elastomer-nanocomposites

Contributed lectures 1

- CL-1-01** *M. Z. Abedin** Study of jute fibre-reinforced polyester composite
CL-1-02 *W. Yang, W. (Voytek) S. Gutowski*, S. Li, M. Spicer, W. A. Matthews, D. M. James* New generation technology for surface finishing of automotive plastic components
CL-1-03 *P. Halaška*, Z. Dvořák* Analyses of inhomogeneties occurring in the injection process
CL-1-04 *V. Khunová*, I. Kelnar, P. Simon, M. Duchon, I. Tureková, K. Balog* Effect of nanoclays on the flame retardancy of polymer nanocomposites
CL-1-05 *B. V. Kokta*, L. Kwei-Nam, I. Fortelny, F. Lednický, Z. Krulis* Hybride composites of pe with birch fibers and nanoclay
CL-1-06 *V. Kompíš*, M. Štiavnický* Computational simulation of composites reinforced by short fibers
CL-1-07 *I. Krupa*, G. Miková, R. Luyt* Shape stabilized phase change materials based on the polyethylene and paraffin waxes
CL-1-08 *M. Malíková*, P. Šimon, H.-W. Wilde* Search for the stabilisation mixture with the maximum stabilizing effect using the simplex method
CL-1-09 *D. Manas, M. Manas*, M. Stanek, T. Drga* Irradiation of polymers material
CL-1-10 *E. Nezbedová** Are the filled polyolefine a promising material?
CL-1-11 *M. Reiter, Z. Major*, Ch. Knotz, R. W. Lang* Modeling and simulation of the impact behavior of foams
CL-1-12 *M. Steeg*, J. Karger-Kocsis, P. Mitschang* Polymer composites with *in-situ* polymerized cyclic butylene terephthalates (CBTTM) - promising materials for automotive applications
CL-1-13 *L. Vojtová*, J. Židek, J. Jančář* Thermal decomposition of modified polyurethane foams
CL-1-14 *M. Kozłowski, T. Szczurek, A. Iwanczuk, S. Frackowiak* Engineering biocomposites of reduced flammability

Contributed lectures 2

- CL-2-01** *M. Bařnec*, J. Haydary, J. Toman, A. Karvař* Simulation of temperature fields in curing rubber
CL-2-02 *D. Bellušová*, T. Alsuth, R. H. Schuster, V. Šepelák, M. Myndyk, I. Hudec* Preparation and properties of ferrite powders for rubber composites

- CL-2-03** *J. Haydary, Z. Koreňová, L. Jelemenský, J. Markoš* Carbon black produced by scrap tire pyrolysis
- CL-2-04** *M. Cettlová, Z. Hrdlička*, A. Kuta* Rubber recycling via high-temperature compression moulding
- CL-2-05** *S. Ilisch*, H. Hong Le, H.-J. Radusch* Phase selective distribution of carbon black filled rubber blends
- CL-2-06** *K. Kosár*, M. Králik, R. Štefancová, M. Ďuračka* Advantages of active zinc oxide's application in rubber industry
- CL-2-07** *Z. Major*, A. Kajtna, Z. Kovacevic, A. Mesec, M. Kosir* Characterization of the fatigue behavior of elastomer composites
- CL-2-08** *D. Manas*, M. Manas, M. Stanek, T. Drga* Wear of rubber components
- CL-2-09** *J. W. G. Mani, S. Luther, R. H. Schuster, H.-J. Radusch, U. Görl* Effect of filling degree in twin screw extruder on continuous compounding of E-SBR/silanized silica compound
- CL-2-10** *M. Stanek*, M. Manas, D. Manas, T. Drga* Influence of surface quality on fluidity of elastomers
- CL-2-11** *J. Zidek*, J. Jancar* Simulation of deformation behavior of reinforced rubber by a network model combined with fem
- CL-2-12** *D. Berek** Molecular characterization of synthetic polymers by size exclusion chromatography

Posters

- P-01** *I. Amir, I. Hudec, J. Široký* Structural characteristics of rubber and adhesion properties of textile cords to rubber
- P-02** *Y. Atsiz*, J. W. G. Mani, R. H. Schuster* Continuous silanization reaction in co-rotating twin screw extruder
- P-03** *L. Cernakova*, M. Jasso, R. Szabova, I. Hudec, M. Cernak* Atmospheric-pressure plasma treatment of textile materials for industrial uses
- P-04** *J. David*, L. Vojtová, J. Kislínger, J. Kučerík, J. Vránová, H. Zlámalová-Gargošová, M. Vávrová, J. Jančář* New biomodified flexible polyurethane foams: comparative and ecotoxicological study
- P-05** *M. Dulíková*, A. Ujhelyiová, O. Brejka, A. Marcinčin, J. Ryba* Nanoadditives to prevent UV radiation in PP fibres
- P-06** *J. Feranc*, Z. Kramárová, P. Alexy, M. Ďuračka, I. Hudec, P. Šuri, A. Karvaš, M. Hajšová* Application of lignin in rubber blends
- P-07** *A. Fiedlerová, Š. Chmela*, E. Borsig* Influence of filler-stabilizer interaction on photo-oxidation and stabilization of ipp and spp/boehmite nanocomposites
- P-08** *P. Gažo*, V. Šuriova* Influence of production process to mechanical properties of tyre textile reinforcement materials
- P-09** *Ch. Guster*, G. Pinter, Z. Major, W. Eichlseder, R. W. Lang* Characterization of the fatigue behavior of short glass fiber reinforced polymers
- P-10** *J. Havajík*, M. Ondáš, M. Rypák* Some aspects of tyre adhesion evaluation
- P-11** *M. Danko*, P. Hrdlovič, Š. Chmela* The photolysis of dyes containing benzothioxanthene chromophore linked with hindered amine in polymer matrices
- P-12** *T. Nedelčev, J. Jaňovková, D. Chorvát J. R., I. Krupa*, I. Lacík* Design of hybrid silica matrices with controlled pore size and long-term pore size stability
- P-13** *O. H. Jeon, J. W. Lee, I. Jeong*, Ch. B. Lee* Introducing heracron®(kolon p-aramid) tire cord
- P-14** *Z. Koreňová, J. Haydary, J. Markoš, L. Jelemenský** Pore structure of pyrolytic carbon black
- P-15** *K. Kosár*, P. Lehocký, J. Balko, Zs. Végh* Possibilities of bis-maleimides' application in adhesion systems of reinforced vulcanizates
- P-16** *J. Kronek*, J. Lustoň, A. Kleinová* Synthesis of naphthalene unit containing poly(2-oxazolines)
- P-17** *F. Kucera** Preparation of itaconic anhydride grafted isotactic polypropylene via reactive extrusion
- P-18** *F. Kucera*, J. Vanerek, J. Svoboda* Polymeric composites based on fillers from renewable resources
- P-19** *Š. Kuruc*, I. Novák, M. Števiar, I. Chodák* Study of adhesive properties of select polymers modified by plasma
- P-20** *D. Lath*, L. Canova, E. Lathová, I. Janigová, R. Ferguson, J. M. G. Cowie* Imidized methacrylic resins as polymer additives with improved heat resistance
- P-21** *D. Lath*, R. Ferguson, J. M. G. Cowie, V. Arrighi* Polymer miscibilizers - forgotten compatibilizers of immiscible polymer blends
- P-22** *A. Schwarz, Z. Major*, E. Canibano, M. Gonzales, R. W. Langa* Characterization of the deformation and failure behavior of silicone elastomers for airbag applications

- P-23** M. Mičušík*, M. Omastová, I. Krupa, E. Logakis, Ch. Pandis, P. Pissis, P. Pötschke, J. Pionteck Properties of melt-mixed composites containing carbon nanotubes and various types of polypropylene matrices
- P-24** D. Mošková*, I. Janigová, B. Pukánszky, I. Chodák Effect of processing method on the morphology and physical properties of pcl nanocomposites
- P-25** V. Jančovičová*, I. Mrlláková Photochemical curing of aliphatic urethane acrylate coatings
- P-26** Z. Nógellová*, I. Chodák, Z. Kramárová Mechanical properties of elastomer / layered silicate composites
- P-27** I. Novák*, I. Chodák, M. M. Chehimi, I. Janigová, M. Špírková Investigation of ageing of polyethylene terephthalate modified by cold plasma
- P-28** D. Ondrušová*, M. Pajtášová, M. Olšovský, A. Karvaš, E. Jóna Ecologisation of rubber compound for passenger car tyres
- P-29** S. Podhradská*, M. Omastová, I. Chodák Study of the electrical properties of rubber/carbon black composites during uniaxial deformation and relaxation
- P-30** S. Podobeková, A. Murárová*, A. Rusnák, V. Ďurman, J. Ryba The functionalization of fibre materials surfaces focused on electrical properties
- P-31** J. Ryba*, M. Křištofič, I. Vassová, S. Podobeková, M. Dulíková Mechanical properties of modified PA 6 fibres by nano-additives
- P-32** R. Szabová*, J. Kruželák, D. Bellušová, G. Kyselá, I. Hudec Cross-linked elastomeric composites with magnetic properties
- P-33** M. Szostak*, W. Rolirad Ball and socket joints with plastics inserts for passenger vehicles
- P-34** M. Števiar*, I. Novák, Š. Kuruc, I. Chodák, J. Mosnáček, I. Janigová, M. M. Chehimi, M. Špírková Surface modification of polyethylene in dielectric surface barrier discharge
- P-35** E. Ürögiova*, J. A. Piest, G. Heinrich, N. Probst, E. Grivei, A. Pronin, J. Wosnitza The effect of metal coated carbon black filling on the physical and magnetic behaviour of natural and synthetic rubbers
- P-36** M. Mikula*, A. Valasekova, M. Vašiček, K. Vaško Mechanical strengthening of plastic foils by thin glass-like layers